

	Type	Hits	Search Text	DBs
1	BRS	2	embed\$7 same (trac\$7 not track\$6) same register\$1 same generat\$7	USPAT; US-PGPUB
2	BRS	1	embed\$7 with (trac\$7 not track\$6) with command	USPAT; US-PGPUB
3	BRS	40	embed\$7 with (trac\$7) with command	USPAT; US-PGPUB
4	BRS	44	embed\$7 with (trac\$7) with command\$3	USPAT; US-PGPUB
5	BRS	1299	embed\$7 with (trac\$7 not track\$6)	USPAT; US-PGPUB
6	BRS	15	embed\$7 with (trac\$7 not track\$6) and 717/\$.ccls.	USPAT; US-PGPUB
7	BRS	39	breakpoint\$5 with (trac\$7 not track\$6) and 717/\$.ccls.	USPAT; US-PGPUB
8	BRS	10	tracepoint\$1	USPAT; US-PGPUB
9	BRS	12	set\$7 with (breakpoint\$1 or (break adj point\$1)) with collect\$7	USPAT; US-PGPUB
10	BRS	1765	set\$7 with (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB
11	BRS	62	(set\$7 with (breakpoint\$1 or (break adj point\$1)) ) same collect\$7	USPAT; US-PGPUB
12	BRS	84	embed\$7 same (trac\$7 not track\$6) and (register\$1 same generat\$7)	USPAT; US-PGPUB
13	BRS	486	trace adj record\$1	USPAT; US-PGPUB
14	BRS	38	(trace adj record\$1) same register\$4	USPAT; US-PGPUB
15	BRS	14	"general processor register"	USPAT; US-PGPUB
16	BRS	197	717/\$.ccls. and (variable\$1 with value\$1 with register\$1)	USPAT; US-PGPUB
17	BRS	44	717/\$.ccls. and (variable\$1 near2 value\$1 near2 register\$1)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
18	BRS	7	717/\$.ccls. and (program near2 variable\$1 near2 value\$1 near2 register\$1)	USPAT; US-PGPUB
19	BRS	26	717/\$.ccls. and (variable\$1 near2 value\$1 near2 register\$1)	USPAT
20	BRS	8	717/\$.ccls. and (variable\$1 with value\$1 with register\$1 with trac\$7)	USPAT; US-PGPUB
21	BRS	15	717/\$.ccls. and (variable\$1 with value\$1 with register\$1) same trac\$7	USPAT; US-PGPUB
22	BRS	48	(trace adj (file\$1 or record\$1)) near2 identif\$7	USPAT; US-PGPUB
23	BRS	49	(trace adj (file\$1 or record\$1)) near2 identif\$9	USPAT; US-PGPUB